

Customer: Smoke Nation
2500 South Park Rd
Pembroke Park, FL 33009

Sample ID: 865150
Laboratory Number: ATL-6319



Report Issue Date
4/21/2022

Extraction Technician: HP
Analytical Chemist: HP

Sample Description/Size: CBD Blue Drops

Hernan Prieto

Unit Weight: 6.49g



CANNABINOID PROFILE

Order Date
4/14/2022

Analysis Date
4/18/2022

Cannabinoids (HPLC)

Results

Cannabinoid (%)

Test	LOQ (mg/g)	mg/gummy	%	0	20	40	60	80	100
Cannabidiarin (CBDV)	<0.09	0	0						
Cannabidiolic Acid (CBD-A)	<0.05	0	0						
Cannabigerolic Acid (CBG-A)	<0.04	0	0						
Cannabigerol (CBG)	<0.04	0	0						
Cannabidiol (CBD)	<0.04	29.60	0.456						
Cannabinol (CBN)	<0.03	0	0						
Delta 9-Tetrahydrocannabinol (THC)	<0.02	0	0						
Delta 8-Tetrahydrocannabinol	<0.03	0	0						
Delta 10-Tetrahydrocannabinol (THC)	<0.02	0	0						
Cannabichromene(CBC)	<0.05	0	0						
Delta-9-Tetrahydrocannabinolic Acid (as THC)	<0.02	0	0						

Cannabinoids Total

Test	mg/gummy	%	0	20	40	60	80	100
Max Active THC	0	0						
Max Active CBD	29.60	0.46						
T.Active Cannabinoids	29.60	0.46						
Total Cannabinoids	29.60	0.46						

Analysis Method: ATL-PLC-001

Following USDA guidelines on uncertainty, Accurate Test Lab's uncertainty is calculated for CBDa and CBD at +/- 4%. The uncertainty for THCa and THC are +/- 5%. This implies the range for a 10% value of CBD to be 9.6-10.4%. The uncertainty range for a 0.30% value of THC would be 0.28-0.32%. The measurement uncertainty is calculated using a coverage factor of 2.

Reporting Limits will vary based on sample extraction weight used for the analysis. Accurate Test Lab, LLC utilizes based upon traceable Reference Standards and Certified Reference Material to calibrate analytical instruments along with proven analytical methods. The methods are applied in the most ethical manner following good laboratory practice guidelines. The results of this report are based solely on the sample submitted and cannot be reproduced. Results only apply to samples within COA as received. Certificate of Analysis shall not be reproduced in full without approval of Accurate Test Lab, LLC.

N/D: Not Detected T: Trace Cannabinoids detected but are below limit of quantification.

